Nature-T Table Lamps





NATURE T is a portable rechargeable desk lamp with a compact and exquisite design that can last for 8 hours at full power.

It is controlled by the touch button on the top of the lamp to switch on and switch off the lamp and adjust its brightness.

NATURE T's excellent optical design with a wide range of irradiation, IP65/IK08, meets various indoor and outdoor lighting needs

Features

At full power can be used for 8 hours

145° Wide beamangle, Provising broad illumination

Charge with a data cable

Battery is replaceable

Lamp head is detachable

Easy for storage

Lamp protection grade IP65/IK08




Ideal for domestic environments – from the living room to the garden – and for the world of catering,






Technical data







| Item No. | B9NT0-04280-TN | B9NT0-04380-TN | B9NT0-04580-TN |
|-------------------------|--|----------------|----------------|
| Input Power | 4W | | |
| Output | DC 5V/2A | | |
| Batteria | double-cell lithium battery pack (21700 lithium battery 3.7V 10000mAh) | | |
| Battery Run time | 8H (100%) | | |
| Charge time | 8H | | |
| Power Factor | ≥0.9 | | |
| Luminous Flux(±5%) | 344 lm (2700K) | | |
| Colour temperature | 2700K | 3000K | 4000K |
| Color Rendering Index | >90 | | |
| Life Time | L70(B50)50,000H | | |
| BeamAngle | 145° | | |
| Colour consistency SDCM | <3 | | |
| Dimming | Touch dimming | | |
| Sensor | NO | | |
| Housing Color | Black / Dark Grey | | |
| Fixture Materia | ADC12+Q235+PC | | |
| Protection Level | IP65/IK08 | | |
| Storage Temperature | -30°C~+60°C | | |
| Working Temperature | -30°C~+45°C | | |
| Net Weight | 0.87kg | | |
| Package size | inner box 260*222*75mm (1PCS) / master carton 555*455*280mm (12PCS) | | |
| 20GP | 416 PCS (master carton) | | |
| 40GP | 972 PCS (master carton) | | |

Accessories





Type-C charger

Shenzhen Nexol Lighting Technology Co.,Ltd. E-mail: info@nexol-lighting.com www.nexol-lighting.com Factory: Floor 6-9,Building 3,Tonghu Intelligent Industrial Park, Zhongkai High-Tech District, HuiZhou 516035 Office: Room 306&309, Floor 3, Building E, Longhua Digital Industrial Park, Guanlan Road 54-6, Longhua district, Shenzhen, China 518110

All values in specification are typical value from laboratory measurement, for concrete data, please refer to shipment testing report. Information provided is subject to change without notice. Please verify all details with NEXOL Lighting. Copyright Shenzhen Nexol Lighting Co., Ltd.. All rights reserved.