


ROMAN-F2 free standing luminaire



ROMAN-F2 offers a sleek and imaginative design, perfect for office lighting. With special micro reflectors and anti-glare covers, it achieves $UGR < 11$ for comfortable, soft lighting. Suitable for four desks, it delivers uniform illumination with separate controls for direct & indirect lights. Smart functions like motion sensors and daylight sensors are supported. Made with aluminum, steel, and PC materials, it's easy to install without professional assistance.

Features

Compact and quality appearance, patent design with rich texture and visual impact

High lumen efficiency reach to 150LM/W, fitting with a 2500lm direct and 9500lm indirect lights, total 12000lm lumen output

$UGR < 11$, lighting uniform and healthy

Direct and indirect light control Individually

SDCM < 3


Support for smart control functions

- Touch panel dimming
- Motion sensor
- Day light sensor
- CASAMBI(Customizable)
- SWARM(Customizable)
- HCL(Customizable)



5 years warranty

Application Areas

Open-plan office, individual office, etc.




Technical data



Item No.	BROF2-1908020-BD	BROF2-1908020-CD
Input Power(±10%)	↑ 60W/20W ↓	
Input Voltage	AC200~240V	
Power Factor	≥0.9	
Luminous Flux(±10%)	↑ 9500lm/2500lm ↓	↑ 8800lm/2000lm ↓
UGR	<11	
Color Rendering Index	>80	
Life Time	L80(B10)50,000H	
Beam Angle	↑ 115°/60° ↓	
CCT(±200K)	3000/4000/6000K	3000-5700K
Colour consistency SDCM	< 3	
Dimming	Touch panel dimming	
Sensor	Daylight sensor & Motion sensor	
Housing Color	Silver / White / Black	
Fixture Materia	6063AL	
Protection Level	IP20	
Storage Temperature	-40°C~+80°C	
Working Temperature	-20°C~+45°C	
Net Weight	12kg	
Gross Weight	15kg	
Package size	2058*523*100mm(1pcs)	
20GP	287pcs	
40GP	599pcs	

Packaging



Shenzhen Nexol Lighting Technology Co.,Ltd.

E-mail: info@nexol-lighting.com

www.nexol-lighting.com

Factory: Floor 6-9, Building 3, Tonghu Intelligent Industrial Park, Zhongkai High-Tech District, HuiZhou 516035

Office: Room 306&309, Floor 3, Building E, Longhua Digital Industrial Park, Guanlan Road 54-6, Longhua district, Shenzhen, China 518110



All values in specification are typical value from laboratory measurement, for concrete data, please refer to shipment testing report.

Information provided is subject to change without notice. Please verify all details with NEXOL Lighting.

Copyright Shenzhen Nexol Lighting Co., Ltd.. All rights reserved.